



QUALITY MENU









Manufacturer's default settings appear in bold.

[COLOR	Settings	[COLOR] /	[GRAYSCALE]		
MODE]	If [COLOR] is se	elected, the p	bages are printed in full color.		
	If [GRAYSCALE and white.] is selected, the pages are printed in black			
[BRIGHT- NESS]	Settings	[+15%] / [+1 [-10%] / [-1	10%] /[+5%] / [0%] / [-5%] / 5%]		
	The brightness	of the printed	d image can be adjusted.		
[HALFTONE]	[IMAGE PRINTING]	Settings	[LINE ART] / [DETAIL] / [SMOOTH]		
		Select how halftones in images are repro- duced.			
		If [LINE ART] is selected, halftones are repro- duced with high precision.			
		If [DETAIL] is duced with	s selected, halftones are repro- detail.		
] is selected, halftones are repro- smoothness.		
	[TEXT PRINT- ING]	Settings	[LINE ART] / [DETAIL] / [SMOOTH]		
		Select how	halftones in text are reproduced.		
		If [LINE ART] is selected, halftones are repro- duced with high precision.			
		If [DETAIL] is selected, halftones are repro- duced with detail.			
		-] is selected, halftones are repro- smoothness.		

	[grfx. print- Ing]	Settings	[LINE ART] / [DETAIL] / [SMOOTH]		
		Select how duced.	halftones in graphics are repro-		
		-] is selected, halftones are repro- high precision.		
		If [DETAIL] is duced with	s selected, halftones are repro- detail.		
		-	I] is selected, halftones are repro- smoothness.		
[EDGE	[IMAGE	Settings	[ON] / [OFF]		
ENHANCE- MENT]	PRINTING]	Select whet sized.	her image edges are empha-		
		If [ON] is se sized.	lected, the edges are empha-		
		If [OFF] is selected, the edges are not emphasized.			
		If [ECONOMY PRINT] is set to [ON], the edges cannot be emphasized.			
	[TEXT PRINT-	Settings	[ON] / [OFF]		
	ING]	Select whet	her text edges are emphasized.		
		If [ON] is se sized.	lected, the edges are empha-		
		If [OFF] is se emphasized	elected, the edges are not I.		
	[GRFX. PRINT-	Settings	[ON] / [OFF]		
	ING]	Select whether graphic edges are empha- sized.			
		If [ON] is selected, the edges are empha- sized.			
		If [OFF] is selected, the edges are not emphasized.			
			CONOMY PRINT] is set to [ON], dges cannot be emphasized.		

	0					
[EDGE STRENGTH]	Settings	[OFF] / [LOV				
Smenanij	Select the desir	Select the desired amount that edges are emphasized.				
	If [OFF] is selec	ted, the edge	es are not er	nphasized.		
	If [LOW] is selee	cted, the edg	es are slight	tly emphasized.		
	If [MIDDLE] is s average amoun		edges are er	mphasized by an		
	If [HIGH] is sele	cted, the edg	ges are high	ly emphasized.		
				e not emphasized, T] menu item is set to		
[ECONOMY	Settings	[ON] / [OFF]			
PRINT]	Select whether to print graphics with a reduced density by reducing the amount of toner that is used.					
	If [ON] is selected, the amount of toner used is reduced when printing.					
	If [OFF] is selected, the amount of toner used is not reduced when printing.					
	if [IMAGE	PRINTING]	and [GRFX.	not emphasized, even PRINTING] of the em are set to [ON].		
[PCL SET- TING]	[CONTRAST]	Settings		10%]/[+5%]/ [0%] /)%]/[-15%]		
		The contras	t of the imag	ge can be adjusted.		
	[IMAGE PRINTING]	[RGB SOURCE]	Settings	[DEVICE COLOR] / [sRGB]		
			Specify the image data	color space for RGB		
			-	COLOR] is selected, bace is specified.		
			loaded with ager or Pag	e profiles down- n the Download Man- geScope Web n are available as RCE].		

	[RGB INTENT]	Settings	[VIVID] / [PHOTO- GRAPHIC]
		applied wh	e characteristic en converting RGB to CMYK data.
		If [VIVID] is put is prode	selected, a vivid out- uced.
		-	GRAPHIC] is brighter output is
	[RGB GRAY]	Settings	[COMPOSITE BLACK] / [BLACK AND GRAY] / [BLACK ONLY]
		Specify how black and grays are reproduced in RGB image data.	
		selected, b	SITE BLACK] is lack is reproduced MYK colors.
		selected, b	AND GRAY] is lack and gray are I using black only.
			DNLY] is selected, produced using only
[TEXT PRINTING]	[RGB SOURCE]	Settings	[DEVICE COLOR] / [sRGB]
		Specify the color space for RGB text data.	
		If [DEVICE COLOR] is selected, no color space is specified.	
		RGB source profiles down- loaded with the Download Man- ager or PageScope Web Connection are available as [RGB SOURCE].	

		[RGB INTENT]	Settings	[VIVID] / [PHOTO- GRAPHIC]
			applied wh	e characteristic en converting RGB o CMYK data.
			If [VIVID] is put is prode	selected, a vivid out- uced.
			-	GRAPHIC] is brighter output is
		[RGB GRAY]	Settings	[COMPOSITE BLACK] / [BLACK AND GRAY] / [BLACK ONLY]
			Specify how black and grays are reproduced in RGB text data.	
			selected, b	SITE BLACK] is lack is reproduced MYK colors.
			selected, b	AND GRAY] is lack and gray are I using black only.
				DNLY] is selected, produced using only
	[GRFX. PRINT- ING]	[RGB SOURCE]	Settings	[DEVICE COLOR] / [sRGB]
			Specify the graphics da	color space for RGB ata.
			-	COLOR] is selected, ace is specified.
			RGB source profiles down- loaded with the Download Man- ager or PageScope Web Connection are available as [RGB SOURCE].	

	[RGB INTENT]	Settings	[VIVID] / [PHOTO- GRAPHIC]
		Specify the characteristic applied when converting RGB graphics data to CMYK data.	
		If [VIVID] is selected, a vivid out- put is produced.	
		-	GRAPHIC] is brighter output is
	[RGB GRAY]	Settings	[COMPOSITE BLACK] / [BLACK AND GRAY] / [BLACK ONLY]
		Specify how black and grays are reproduced in RGB graphics data.	
		If [COMPOSITE BLACK] is selected, black is reproduced using the CMYK colors.	
		If [BLACK AND GRAY] is selected, black and gray are reproduced using black only.	
		-	DNLY] is selected, produced using only

[PS SETTINGS]	[IMAGE PRINTING]	[RGB SOURCE]	Settings	[DEVICE COLOR] / [sRGB] / [AppleRGB] / [AdobeRGB1998] / [ColorMatchRGB] / [BlueAdjustRGB]
			Specify the image data	color space for RGB
				COLOR] is selected, ace is specified.
			loaded with ager or Pag	e profiles down- n the Download Man- geScope Web n are available as RCE].
		[RGB INTENT]	Settings	[VIVID] / [PHOTO- GRAPHIC] / [RELATIVE COLOR] / [ABSOLUTE COLOR]
			applied wh	characteristic en converting RGB to CMYK data.
			If [VIVID] is put is produ	selected, a vivid out- uced.
			-	GRAPHIC] is brighter output is
			selected, re	E COLOR] is elative color is he RGB source pro-
			selected, a	ITE COLOR] is bsolute color is he RGB source pro-

-	[RGB GRAY]	Settings	[COMPOSITE BLACK] / [BLACK AND GRAY] / [BLACK ONLY]
			v black and grays are I in RGB image data.
		If [COMPOSITE BLACK] is selected, black is reproduced using the CMYK colors.	
		If [BLACK AND GRAY] is selected, black and gray are reproduced using black only.	
		If [BLACK ONLY] is selected, black is reproduced using only black.	
	[DESTINA-	Settings	[AUTO]
	TION PROF]	Specify the destination profile.	
	PROFJ	If [AUTO] is selected, a destina tion profile that the machine automatically adapts is selected based on a combination of the specified color matching, half- tones and other profiles.	
		Destination profiles down- loaded with the Download Man- ager or PageScope Web Connection are available as [DESTINATION PROF].	

[TEXT PRINTING]	[RGB SOURCE]	Settings	[DEVICE COLOR] / [sRGB] / [AppleRGB] / [AdobeRGB1998] / [ColorMatchRGB] / [BlueAdjustRGB]
		Specify the text data.	color space for RGB
		-	COLOR] is selected, ace is specified.
		loaded with ager or Pag	e profiles down- n the Download Man- geScope Web n are available as RCE].
	[RGB INTENT]	Settings	[VIVID] / [PHOTO- GRAPHIC] / [RELA- TIVE COLOR] / [ABSOLUTE COLOR]
		applied wh	characteristic en converting RGB OCMYK data.
		If [VIVID] is put is prode	selected, a vivid out- uced.
		-	GRAPHIC] is brighter output is
		selected, re	E COLOR] is elative color is the RGB source pro-
		selected, a	ITE COLOR] is bsolute color is he RGB source pro-

	[RGB GRAY]	Settings	[COMPOSITE BLACK] / [BLACK AND GRAY] / [BLACK ONLY]
			v black and grays are I in RGB text data.
		If [COMPOSITE BLACK] is selected, black is reproduced using the CMYK colors.	
		If [BLACK AND GRAY] is selected, black and gray are reproduced using black only.	
		If [BLACK ONLY] is selected, black is reproduced using only black.	
	[DESTINA-	Settings	[AUTO]
	TION PROF1	Specify the destination profile.	
	FNOFJ	If [AUTO] is selected, a destina- tion profile that the machine automatically adapts is selected based on a combination of the specified color matching, half- tones and other profiles.	
		Destination profiles down- loaded with the Download Man- ager or PageScope Web Connection are available as [DESTINATION PROF].	

[grfx. print- ing]	[RGB SOURCE]	Settings	[DEVICE COLOR] / [sRGB] / [AppleRGB] / [AdobeRGB1998] / [ColorMatchRGB] / [BlueAdjustRGB]
		Specify the graphics da	color space for RGB ata.
		-	COLOR] is selected, ace is specified.
		loaded with ager or Pag	e profiles down- 1 the Download Man- geScope Web 1 are available as RCE].
	[RGB INTENT]	Settings	[VIVID] / [PHOTO- GRAPHIC] / [RELATIVE COLOR] / [ABSOLUTE COLOR]
		applied wh	characteristic en converting RGB ata to CMYK data.
		If [VIVID] is put is produ	selected, a vivid out- uced.
		-	GRAPHIC] is brighter output is
		selected, re	E COLOR] is elative color is the RGB source pro-
		selected, al	ITE COLOR] is bsolute color is he RGB source pro-

	[RGB GRAY]	Settings	[COMPOSITE BLACK] / [BLACK AND GRAY] / [BLACK ONLY]
			v black and grays are I in RGB graphics
		If [COMPOSITE BLACK] is selected, black is reproduced using the CMYK colors.	
		If [BLACK AND GRAY] is selected, black and gray are reproduced using black only.	
		-	DNLY] is selected, produced using only
	[DESTINA-	Settings	[AUTO]
	TION PROF]	Specify the	destination profile.
	PROFJ	tion profile automatica based on a specified c	selected, a destina- that the machine Ily adapts is selected combination of the olor matching, half- other profiles.
		loaded with ager or Pag Connection	profiles down- a the Download Man- geScope Web a are available as ION PROF].

[SIMULATION]	[SIMULA- TION PROF]	Settings	[NONE] / [SWOP] / [Euroscale] / [Com- mercialPress] / [JapanColor] / [TOYO] / [DIC]	
		Specify the simulation profile.		
		If [NONE] is selected, no simula- tion profile is specified.		
		Simulation profiles downloaded with the Download Manager or PageScope Web Connection are available as [SIMULATION PROF].		
	[SIM. INTENT]	Settings	[RELATIVE COLOR] / [ABSO- LUTE COLOR]	
		Specify the characteristic of the simulation profile. If [RELATIVE COLOR] is selected, relative color is applied to the simulation profile.		
		If [ABSOLUTE COLOR] is selected, absolute color is applied to the simulation profile.		
	[CMYK GRAY]	Settings	[COMPOSITE BLACK] / [BLACK AND GRAY] / [BLACK ONLY]	
		Specify how black and grays are reproduced using the four CMYK colors. If [COMPOSITE BLACK] is selected, black is reproduced using the CMYK colors.		
		If [BLACK AND GRAY] is selected, black and gray are reproduced using black only. If [BLACK ONLY] is selected, black is reproduced using only black.		

[CALIBRA-	[TONE CALIBRATION]	Settings	[ON] / [OFF]				
TION]							
		If [OFF] is selected, image adjustments are not applied.					
	[CMYK DEN- SITY]	[CYAN] / [MAGENTA] / [YELLOW] / [BLACK]	[HIGH- LIGHT]	Settings	[+3]/[+2] /[+1]/ [0] /[-1]/[-2] /[-3]		
				The density of the highlight color in images can be adjusted.			
			[MIDDLE]	Settings	[+3]/[+2] /[+1]/ [0] /[-1]/[-2] /[-3]		
				The density of the middle color in images can be adjusted.			
			[SHADOW]	Settings	[+3]/[+2] /[+1]/ [0] /[-1]/[-2] /[-3]		
				The density of the shadow color in images can be adjusted.			
[COLOR SEPARA- TION]	Settings	[ON] / [OFF]					
	If [ON] is selected, color separation are performed. The con- tents of a color page is separated into the color pages for yel- low, magenta, cyan and black, and each is printed with black gradations as individual pages. The printing order is yellow, magenta, cyan, then black.						
	If [OFF] is selected, color separation is not performed. A nor- mal color separation is performed.						